

IAPMO OCEANIA

7-11 Fullard Road, Narre Warren, Victoria 3805, Australia /info@iapmooceania.org



IAPMO oceania is a product certification body which inspects and arranges for the independent laboratory testing of samples taken from the manufacturer's stock or from the market or a combination of both, to verify compliance of the requirements of applicable Standards and Specifications. This activity is coupled with periodic surveillance of the certified product taken from the market place or the manufacturer's factory. This certification is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO oceania of the product acceptance by Authorities Having Jurisdiction.

GASMARK CERTIFICATE

IAPMO Oceania hereby grants to:

Escea Ltd

17 Canforth Street, Green Island, Dunedin, Otago 9018 New Zealand

Email: australia@escea.com.au

the right to use the GasMark in accordance with IAPMO oceania Pty Ltd 'Mark Rules' on the product as described in the attached GasMark Schedule. The Certificate is granted subject to IAPMO oceania Pty Ltd 'Governance Rules'.

Evaluated to:

AS/NZS 5263.1.3:2021 Amdt 1

Gas appliances, Part 1.3: Gas space heating appliances

AS/NZS 5263.0:2023

Gas appliances, Part 0: General Requirements

Manufacturer:

Refer to Certificate Holder

Certificate No.: GMK10442

First Certified: 16 Mar 2017

Certification Date: 02 Sep 2025

Expiry Date: 15 Mar 2027

A handwritten signature in black ink, reading "David Viola". The signature is fluid and cursive, with the first letters of the first and last names being capitalized and prominent.

David Viola
Chief Executive Officer of the IAPMO Group

This GasMark certification is for the period indicated herein and is void after the date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO R&T Oceania, or any evidence of non-compliance with applicable Standards, Specifications or of inferior workmanship, may be deemed sufficient cause for revocation of this certification. Reproduction of or reference to this certificate for advertising purposes may be made only by specific written permission of IAPMO oceania. Any alteration of this certificate could be grounds for revocation of this certification.



GASMARK SCHEDULE



Certificate Holder

Escea Ltd

A.B.N.:

17 Canforth Street, Green Island, Dunedin, Otago 9018 New Zealand

Manufacturer

Refer to Certificate Holder

Standards

AS/NZS 5263.1.3:2021 Amdt 1

Gas appliances, Part 1.3: Gas space heating appliances

AS/NZS 5263.0:2023

Gas appliances, Part 0: General Requirements

Certificate No. GMK10442

Certification Date: 02 Sep 2025

Expiry Date: 15 Mar 2027

First Certified: 16 Mar 2017

Distributor	Brand Name	Model ID	Gas Type	Product Description	Input	Flue	Annual Energy Consumption	Star Rating	Star Shading	Features
Escea Australia Pty Ltd	Escea	DS1400	NG	Room sealed flame effect heater	40MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	17047 MJ/Yr (HP) 16511 MJ/Yr (IVP)	4.7 (HP) 5.1 (IVP)	140 (HP) 153 (IVP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; splitwood and embers; driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Escea	DS1400	Propane	Room sealed flame effect heater	40MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	17047 MJ/Yr (HP) 16511 MJ/Yr (IVP)	4.7 (HP) 5.1 (IVP)	140 (HP) 153 (IVP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; splitwood and embers; driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Escea	DS1400	ULPG	Room sealed flame effect heater	37MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	15958 MJ/Yr (HP) 16289 MJ/Yr (IVP)	5.0 (HP) 4.7 (IVP)	150 (HP) 142 (IVP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; splitwood and embers; driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Escea	DS1150	NG	Room sealed flame effect heater	34MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	14858 MJ/Yr (HP) 14964 MJ/Yr (IVP)	4.3 (HP) 4.2 (IVP)	130 (HP) 127 (IVP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; splitwood and embers; driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Escea	DS1150	Propane	Room sealed flame effect heater	34MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	14858 MJ/Yr (HP) 14964 MJ/Yr (IVP)	4.3 (HP) 4.2 (IVP)	130 (HP) 127 (IVP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; splitwood and embers; driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue

Distributor	Brand Name	Model ID	Gas Type	Product Description	Input	Flue	Annual Energy Consumption	Star Rating	Star Shading	Features
Escea Australia Pty Ltd	Escea	DS1150	ULPG	Room sealed flame effect heater	34MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	14876 MJ/Yr (IVP) 15298 MJ/Yr (HP)	4.4 (IVP) 4.0 (HP)	132 (IVP) 120 (HP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; splitwood and embers; driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Escea	DS1650	NG	Room sealed flame effect heater	44MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	18524 MJ/Yr (HP) 18338 MJ/Yr (IVP)	4.3 (HP) 4.4 (IVP)	129 (HP) 133 (IVP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; splitwood and embers; driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Escea	DS1650	Propane	Room sealed flame effect heater	40MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	18322 MJ/Yr (HP) 17533 MJ/Yr (IVP)	4.3 (HP) 5.0 (IVP)	130 (HP) 149 (IVP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; splitwood and embers; driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Escea	DS1650	ULPG	Room sealed flame effect heater	40MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	18322 MJ/Yr (HP) 17533 MJ/Yr (IVP)	4.3 (HP) 5.0 (IVP)	130 (HP) 149 (IVP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; splitwood and embers; driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Escea	DS1900	NG	Room sealed flame effect heater	49MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	12000 MJ/Yr (HP) (2021 Method) 23928 MJ/Yr (IVP)	3.5 (HP) 3.1 (IVP)	106 (HP) 93 (IVP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; splitwood and embers; driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Escea	DS1900	Propane	Room sealed flame effect heater	47MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	12000 MJ/Yr (HP) (2021 Method) 22017 MJ/Yr (IVP)	3.5 (HP) 3.2 (IVP)	106 (HP) 97 (IVP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; splitwood and embers; driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Escea	DS1900	ULPG	Room sealed flame effect heater	47MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	12000 MJ/Yr (HP) (2021 Method) 22017 MJ/Yr (IVP)	3.5 (HP) 3.2 (IVP)	106 (HP) 97 (IVP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; splitwood and embers; driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Mode	KB1400	NG	Room sealed flame effect heater	40MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	17047 MJ/Yr (HP) 16511 MJ/Yr (IVP)	4.7 (HP) 5.1 (IVP)	140 (HP) 153 (IVP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; Australian Oak/Splitwood and embers; Driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Mode	KB1400	Propane	Room sealed flame effect heater	40MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	17047 MJ/Yr (HP) 16511 MJ/Yr (IVP)	4.7 (HP) 5.1 (IVP)	140 (HP) 153 (IVP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; Australian Oak/Splitwood and embers; Driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue

Distributor	Brand Name	Model ID	Gas Type	Product Description	Input	Flue	Annual Energy Consumption	Star Rating	Star Shading	Features
Escea Australia Pty Ltd	Mode	KB1400	ULPG	Room sealed flame effect heater	37MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	15958 MJ/Yr (HP) 16289 MJ/Yr (IVP)	5.0 (HP) 4.7 (IVP)	150 (HP) 142 (IVP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; Australian Oak/Splitwood and embers; Driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Mode	KB1150	NG	Room sealed flame effect heater	34MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	14858 MJ/Yr (HP) 14964 MJ/Yr (IVP)	4.3 (HP) 4.2 (IVP)	130 (HP) 127 (IVP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; Australian Oak/Splitwood and embers; Driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Mode	KB1150	Propane	Room sealed flame effect heater	34MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	14858 MJ/Yr (HP) 14964 MJ/Yr (IVP)	4.3 (HP) 4.2 (IVP)	130 (HP) 127 (IVP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; Australian Oak/Splitwood and embers; Driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Mode	KB1150	ULPG	Room sealed flame effect heater	34MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	14876 MJ/Yr (IVP) 15298 MJ/Yr (HP)	4.4 (IVP) 4.0 (HP)	132 (IVP) 120 (HP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; Australian Oak/Splitwood and embers; Driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Mode	KB1650	NG	Room sealed flame effect heater	44MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	18524 MJ/Yr (HP) 18338 MJ/Yr (IVP)	4.3 (HP) 4.4 (IVP)	129 (HP) 133 (IVP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; Australian Oak/Splitwood and embers; Driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Mode	KB1650	Propane	Room sealed flame effect heater	40MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	18322 MJ/Yr (HP) 17533 MJ/Yr (IVP)	4.3 (HP) 5.0 (IVP)	130 (HP) 149 (IVP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; Australian Oak/Splitwood and embers; Driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Mode	KB1650	ULPG	Room sealed flame effect heater	40MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	18322 MJ/Yr (HP) 17533 MJ/Yr (IVP)	4.3 (HP) 5.0 (IVP)	130 (HP) 149 (IVP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; Australian Oak/Splitwood and embers; Driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Mode	KB1900	NG	Room sealed flame effect heater	49MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	12000 MJ/Yr (HP) (2021 Method) 23928 MJ/Yr (IVP)	3.5 (HP) 3.1 (IVP)	106 (HP) 93 (IVP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; Australian Oak/Splitwood and embers; Driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Mode	KB1900	Propane	Room sealed flame effect heater	47MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	12000 MJ/Yr (HP) (2021 Method) 22017 MJ/Yr (IVP)	3.5 (HP) 3.2 (IVP)	106 (HP) 97 (IVP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; Australian Oak/Splitwood and embers; Driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue

Distributor	Brand Name	Model ID	Gas Type	Product Description	Input	Flue	Annual Energy Consumption	Star Rating	Star Shading	Features
Escea Australia Pty Ltd	Mode	KB1900	ULPG	Room sealed flame effect heater	47MJ/h	Remote power flue up to 40m, optional side exhaust port for horizontal power flue	12000 MJ/Yr (HP) (2021 Method) 22017 MJ/Yr (IVP)	3.5 (HP) 3.2 (IVP)	106 (HP) 97 (IVP)	Glass primary guard; fuelbed media: logs and flakes/embers; coals; crystallite; crystallite & driftwood; woodland log; Australian Oak/Splitwood and embers; Driftwood, embers and shale; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue

END RECORD

END RECORD



David Viola
Chief Executive Officer of the IAPMO Group